



TRANSMISSION  
ELECTRICAL  
ENERGY  
EQUIPMENT

# REACTOR QUOTE FORM

<b>Customer Name</b>	
<b>Project Name and/or Number</b>	
<b>Shipping Address</b>	
<b>Freight Terms</b>	
<b>Special Commercial Requirements</b>	

<b>Applicable Standard</b>		
<b>Quantity</b>		
<b>Application</b>		
<b>Installation (side by side/delta/stacked)</b>		
<b>Rated Continuous Current (A)</b>		
<b>Harmonic Currents (A)</b>		
<b>System Voltage (kV)</b>		
<b>Power Frequency (Hz)</b>		
<b>Maximum Continuous Overload Current (A)</b>		
<b>Rated Short-Time Current (kA)</b>		
<b>Short-Time Current (kA/peak)</b>		<b>Duration (s):</b>
<b>Rated Inductance per Phase (mH)</b>		
<b>Rated Impedance per Phase (ohms)</b>		
<b>Average Ambient Temperature (Celsius)</b>		
<b>Maximum Ambient Temperature (Celsius)</b>		
<b>Overload Current (A)</b>		<b>Duration (s):</b>
<b>Site Altitude (m)</b>		
<b>Seismic (G)</b>		
<b>Special Environmental Considerations (if any)</b>		
<b>BIL across reactor (kV)</b>		
<b>BIL coil to ground (kV)</b>		
<b>SIL across reactor (kV)</b>		
<b>SIL coil to ground (kV)</b>		
<b>Min. creepage distance of insulators (cm/kV)</b>		
<b>Maximum Noise Level (dBA)</b>		
<b>Special Technical Requirements</b>		